





MOBISAND - HMU TYPE

The MOBISAND NEU – HMU type is a mobile unit for filling all types of locomotive sand boxes, completely independent during the filling operation. It can be used alone or in addition to a fixed sand feeding installation in hard-to-reach areas. It is particularly suited for filling big sandboxes (sand flow from 20 to 40 l/min).

CONCEPT

A MOBISAND NEU - HMU type consists of:

- A self-propelled truck,
- A distribution tank, mounted on the truck, and equipped with filling flexible hoses and a dust removal system,
- Automatic filling valves,
- A nozzle with automatic stop when the sand box is
- A control cabinet with PLC.

CHARACTERISTICS

- Sand Tank capacity: from 200 to 500 liters depending on models,
- ✓ Sand flow rate: from 20 to 40 I/min,
- ✓ Independent battery operation with up to 2 hours on one charge; or mains power supply; or diesel generator options,
- ✓ Tank filling from a sand storage tank either a silo or big-bag emptying station,
- ✓ Integrated dust suction for a clean and safe working environment,
- √ Truly low velocity pneumatic system NEUPHASE for maintaining the sand particle size and minimizing sand abrasion,
- Easy nozzle handling as simple as filling up your car with petrol,
- Low maintenance.



France

NEU Railways **NEU** Inc

70, rue du Collège - BP 4039 - 59704 Marcq-en-Barœul cedex One North Johnston Ave, Suite 211 Hamilton, NJ 08609 USA

Tel. +33 (0)3.20.45.64.64 Tel. (484) 318-1214

E-mail railways@neu-railways.com




MOBISAND - HMU TYPE

MOBISAND - HMU TYPE

• Product Range: Sand capacity / Power supply / Compressed air / Truck

SAND TANK CAPACITY (LITERS)	POWER SUPPLY	COMPRESSED AIR	TRUCK
200 250 300 350	EB : Electrical Batteries GE : Diesel Genset	AC: Air Compressor SO: Without Air Compressor	SK : Module Alone VP :On Heavy Vehicle (vehicle weight > 1 ton)
400 500			VR : On Truck (driven with a motorized engine)

MOBISAND - HMU XXX/GE/AC/SK:








MOBISAND - HMU TYPE

• MOBISAND - HMU XXX/EB/SO/VP:



Non contractual document. **NEU Railways** reserves the right to change specifications without prior notice. All rights reserved. Any communication, reproduction or use of the document without **NEU Railways** prior written consent is strictly prohibited.

